




## JBScreen PEG/Salt 2

Cat.-No.: CS-142

## SCREEN FORMULATION



No.	Precipitant	Additive
C1	20 % w/v Polyethylene glycol 3,350	200 mM Potassium acetate
C2	20 % w/v Polyethylene glycol 3,350	200 mM Potassium chloride
C3	20 % w/v Polyethylene glycol 3,350	200 mM Potassium fluoride
C4	20 % w/v Polyethylene glycol 3,350	200 mM Potassium iodide
C5	20 % w/v Polyethylene glycol 3,350	200 mM Potassium nitrate
C6	20 % w/v Polyethylene glycol 3,350	200 mM Potassium di-hydrogen phosphate
C7	20 % w/v Polyethylene glycol 3,350	200 mM di-Potassium hydrogen phosphate
C8	20 % w/v Polyethylene glycol 3,350	200 mM Potassium sulfate
C9	20 % w/v Polyethylene glycol 3,350	200 mM Potassium thiocyanate
C10	20 % w/v Polyethylene glycol 3,350	200 mM Potassium Sodium tartrate
C11	20 % w/v Polyethylene glycol 3,350	200 mM Sodium acetate
C12	20 % w/v Polyethylene glycol 3,350	200 mM Sodium chloride
D1	20 % w/v Polyethylene glycol 3,350	200 mM tri-Sodium citrate
D2	20 % w/v Polyethylene glycol 3,350	200 mM Sodium fluoride
D3	20 % w/v Polyethylene glycol 3,350	200 mM Sodium formate
D4	20 % w/v Polyethylene glycol 3,350	200 mM Sodium iodide
D5	20 % w/v Polyethylene glycol 3,350	200 mM Sodium thiocyanate
D6	20 % w/v Polyethylene glycol 3,350	200 mM Sodium nitrate
D7	20 % w/v Polyethylene glycol 3,350	200 mM Sodium di-hydrogen phosphate
D8	20 % w/v Polyethylene glycol 3,350	200 mM di-Sodium hydrogen phosphate
D9	20 % w/v Polyethylene glycol 3,350	200 mM Sodium sulfate
D10	20 % w/v Polyethylene glycol 3,350	200 mM di-Sodium tartrate
D11	20 % w/v Polyethylene glycol 3,350	200 mM tri-Potassium citrate
D12	20 % w/v Polyethylene glycol 3,350	200 mM Zinc acetate

\*pH values indicated are those of the 1.0 M buffer stock solution prior to dilution with other components

